

E-Sanit ^{series}

Seamless Fusion of Intelligence and Efficiency



E-Sanit 18/E-Sanit 23
Steam Sterilizer



Eighteenth

INTELLIGENT

Patented anti-siphon technology

Prevent secondary pollution by blocking liquid backflow (Patent Number: ZL 202310344487.4)



Intelligent water detection

Automatic reminder for water shortage and substandard water quality with built-in sensitive sensor



Smart electric door with guaranteed dual-locking system



• Flexible customization of sterilization cycles

Tailor sterilization and drying time to achieve optimal results

• More convenient with large water tank

90% water consumption compared with other brands




E-Sanit




Other Brands


EFFICIENT



General B



Rapid S




Quick S




Protect B




Protein B



B&D test mode



Helix test mode




vacuum test mode

• 8 programs meet diverse user needs while ensuring the utmost effectiveness

(A complete sterilization in just 25 minutes in the rapid mode)

Dual Overheat Protection

Automatically stop heating to prevent equipment from overheating with dual sensors detecting abnormal temperature changes



Precise

Continuous temperature and pressure monitoring with imported NXP and high-precision PT1000 sensor



Durable

A long-lasting Italian electromagnetic pump for reliable sterilization



Safe

Real-time pressure monitoring. Automatically open to release pressure when limit is surpassed



Replaceable

Effortlessly replaceable air filter that filters 99% of suspended particles

Built-in printer (Optional)

Take up less desk space and ensure two methods for data storage



STABLE



E-Sanit 23

Model	Power rating	Sterilization room volume	Sterilization room size	Size	Weight
E-Sanit 18	AC220V/50Hz	18L	247*348 mm	620*421*500mm	46kg
E-Sanit 23	AC220V/50Hz	23L	247*448 mm	620*421*500mm	49kg